


Application No. 10/601,361


Reply to Office Action

AMENDMENTS TO THE CLAIMS

1. (Previously Presented) A substantially light-insensitive monosheet thermographic recording material comprising a support and on one side of said support a thermosensitive element, wherein said thermographic recording material comprises at least one compound represented by formula (I):




wherein M is hydrogen, an alkali atom or an ammonium group; R¹ is an alkyl, alkenyl-, alkynyl-, thioalkyl-, thioalkenyl- or thioalkynyl-group in which the alkyl-, alkenyl- or alkynyl-group has 6 to 25 carbon atoms; X is -O-, -S- or -N(R²); and R² is



hydrogen, a -(CH₂)mSO₃M group or a group; and m is an integer between 1 and 5.


2. (Original) Thermographic recording material according to claim 1, wherein said at least one compound represented by formula (I) is represented by formula (II):



wherein M is hydrogen, an alkali atom or an ammonium group; R¹ is an alkyl, alkenyl-, alkynyl-, thioalkyl-, thioalkenyl- or thioalkynyl-group in which the alkyl-, alkenyl- or alkynyl-group has 6 to 25 carbon atoms; R² is hydrogen, a -(CH₂)mSO₃M

Application No. 10/601,361

Reply to Office Action



3. (Canceled).

4. (Original) Thermographic recording material according to claim 1, wherein said at least one compound represented by formula (I) is present in a subbing layer on at least one side of said support.

5. (Original) Thermographic recording material according to claim 1, wherein said thermosensitive element comprises at least one substantially light-insensitive silver salt of a carboxylic acid, at least one reducing agent therefor in thermal working relationship therewith and at least one binder.

6. (Original) Thermographic recording material according to claim 1, wherein said thermosensitive element is provided with an outermost protective layer.

7. (Previously Presented) Thermographic recording material according to claim 6, wherein said protective layer comprises at least one compound represented by formula (I).

8. (Original) Thermographic recording material according to claim 6, wherein said outermost protective layer comprises the reaction product of at least one hydrolyzed polyalkoxysilane and a hydroxy-group containing polymer.

9. (Original) Thermographic recording material according to claim 8, wherein said polyalkoxysilane is tetramethoxysilane or tetra-ethoxysilane.


10. (Original) Thermographic recording material according to claim 8, wherein said hydroxy-group containing polymer is polyvinyl alcohol.

11. (Previously Presented) A substantially light-insensitive monosheet


Application No. 10/601,361

Reply to Office Action


thermographic recording material comprising a support and on one side of said support a thermosensitive element, wherein said thermographic recording material comprises at least one compound represented by (III):



at least one compound represented by formula (IV):



or a mixture of at least one compound represented by formula (III) with at least one compound represented by formula (IV), wherein M is hydrogen, an alkali atom or an ammonium group; R³ is an alkyl, alkenyl or alkynyl group having 6 to 25 carbon atoms;



R² is hydrogen, a -(CH₂)_mSO₃M group or a group; and m is an integer between 1 and 5.

12. (Previously Presented) A thermographic recording material according to claim 11, wherein said at least one compound represented by formula (I) is present in a subbing layer on at least one side of said support.

13. (Previously Presented) A thermographic recording material according to claim 11, wherein said thermosensitive element comprises at least one substantially light-insensitive silver salt of a carboxylic acid, at least one reducing agent therefor in thermal

Application No. 10/601,361

Reply to Office Action

working relationship therewith and at least one binder.

14. (Previously Presented) A thermographic recording material according to claim 11, wherein said thermosensitive element is provided with an outermost protective layer.


15. (Previously Presented) Thermographic recording material according to claim 14, wherein said protective layer comprises at least one compound represented by formula (I).

16. (Previously Presented) Thermographic recording material according to claim 14, wherein said outermost protective layer comprises the reaction product of at least one hydrolyzed polyalkoxysilane and a hydroxy-group containing polymer.

17. (Previously Presented) Thermographic recording material according to claim 16, wherein said polyalkoxysilane is tetramethoxysilane or tetra-ethoxysilane.


18. (Previously Presented) Thermographic recording material according to claim 16, wherein said hydroxy-group containing polymer is polyvinyl alcohol.

19. (Previously Presented) Thermographic recording material according to claim 1, wherein R²



is a -(CH₂)_mSO₃M group or a _mSO₃S group.

20. (Previously Presented) Thermographic recording material according to claim 2, wherein R²



is a -(CH₂)_mSO₃M group or a _mSO₃S group.

SEP. 29, 2005 5:10PM 312 616 5700

NO. 8885 P. 9

Application No. 10/601,361

Reply to Office Action

This listing of claims replaces all prior versions, and listings, of claims in the application.